PATENT AND TRADEMARK OFFICE INFORMATION DISCLOSURE CITATION

(Use several sheets if necessary)

Sheet 1 of 7

ATTORNEY DOCKET NO.	SERIAL NO.	
6102-000042/US/NP	10/522,697	
APPLICANT		
Zambrana, J., et al.		
FILING DATE	GROUP	
27 January 2005	1626	

U.S. P.	U.S. PATENT DOCUMENTS						
Ref. Desig.	Examiner's Initials	Document Number	Date	Name	Class/ Subclass	(If appropriate) Filing Date	
1	/JN/	US 5137901 A	08/11/1992	United States	C07D 417/00		
2	/JN/	US 6919360 B2	07/19/2005	United States	C07D 417/12		

JUL 13 2007

FORE	FOREIGN PATENT DOCUMENTS						
Ref. Desig.	Examiner's Initials	Document Number	Date	Country	Class/ Subclass	Translation Yes	No
3	/JN/	EP 0352613 B1	04/20/1994	Europe	C07D 417/12	x .	
4	/JN/	ES 2052829 T3	07/16/1994	Spain	C079D 417/12	X.	
5	/JN/	WO 199606846 A1	03/07/1996	PCT	C07D 487/04	X (abstract only)	
6	/JN/	ES 2082727 A1	03/16/1996	Spain	C07D 487/04		x
7	/JN/	ES 2094690 A1	01/16/1997	Spain	C07D 207/452	X (abstract only)	
8	/JN/	WO 199735860 A1	10/02/1997	PCT	C07D 154/14	X (abstract only)	
9	/JN/	ES 2109190 A1	01/01/1998	Spain	C07D 451/04		х
10	/JN/	WO 199915527 A1	04/01/1999	PCT	C07D 487/04	X (abstract only)	
11	/JN/	ES 2129370 A1	06/01/1999	Spain	C07D 487/04		x
12	/JN/	WO 199929687 A1	06/17/1999	PCT	C07D 405/14		

Examiner:	/Jason Nolan/	Date Considered:	11/05/2007	

PATENT AND TRADEMARK OFFICE INFORMATION DISCLOSURE CITATION

(Use several sheets if necessary)

Sheet 2 of 7

ATTORNEY DOCKET No.	SERIAL NO.				
6102-000042/US/NP	10/522,697				
APPLICANT					
Zambrana, J., et al.					
FILING DATE	GROUP				
27 January 2005	1626				

FORE	FOREIGN PATENT DOCUMENTS						
Ref. Desig.	Examiner's Initials	Document Number	Date	Country	Class/ Subclass	Translation Yes	No
13	/JN/	ES 2154605 A1	04/01/2001	Spain	C07D 451/04	X (abstract only)	
14	/JN/	WO 2003029250 A1	04/10/2003	PCT	C07D 417/12	x	
15	/JN/	ES 2199086 A1	02/01/2004	Spain	C07D 487/04		х
16	/JN/	WO 2004014915 A1	02/19/2004	PCT	C07D 487/04	X (abstract only)	:
17	/JN/	ES 2238015 A1	08/01/2005	Spain	C07D 487/04	х	
18	/JN/	WO 2005075480 A1	08/18/2005	PCT	C07D 487/04		
19	/JN/	EP 1674103 A1	06/28/2006	Europe	C07D 487/04		
20	/JN/	WO 2006069993 A1	07/06/2006	PCT	C07D 487/04		

ОТНЕ	OTHER DOCUMENTS (including Author, Title, Date, Pertinent Pages, etc.)						
Ref. Desig.	Examiner's Initials						
21	/JN/	Ambrossio, E. et al., [3H]prazosin binding to central nervous system regions of male and female rats, NEUROSCI. LETT. 49(1-2):193-197 (1984)					
22	/JN/	Titeler, M. et al., Selectivity of serotonergic drugs for multiple brain serotonin receptors: Role of [³ H]-4-bromo-2,5-dimethoxylphenylisopropylamine ([³ H]DOB), A 5-HT ₂ agonist radioligand, BIOCHEM. PHARMACOL. 36(19):3265-3271 (1987)					
23	/JN/	Wong, D.T. et al., Specific [3H]LY278584 binding to 5-HT ₃ recognition sites in rat cerebral cortex, EUR. J. PHARMACOL. 166(1):107-110 (1989)					
24	/JN/	Clark, R.D. et al., 1,90ALkano-Bridged 2,3,4,5-Tetrahydro-1H-3-benzazepines with affinity for the a2-adrenoceptor and the 5-HT _{1a} receptor, J. MED. CHEM. 33(2):633-641 (1990)					

Examiner:	/Jason Nolan/	Date Considered:	11/05/2007	

PATENT AND TRADEMARK OFFICE INFORMATION DISCLOSURE CITATION

(Use several sheets if necessary)

Sheet 3 of 7

SERIAL NO.	
10/522,697	
GROUP	
1626	
	10/522,697 GROUP

OTHE	R DOCUM	ENTS (including Author, Title, Date, Pertinent Pages, etc.)
Ref. Desig.	Examiner's Initials	
. 25	/JN/	Grossman, C.J. et al., Development of a radioligand binding assay for 5-HT ₄ receptors in guinea-pig and rat brain, BR. J. PHARMACOL. 109:618-624 (1993)
26	/JN/	De Vry, J., 5-HT1A receptor agonists: recent developments and controversial issues, PSYCHOPHARMACOLOGY 121(1):1-16 (1995)
27	/JN/	Koh, J.Y. et al., Potentiated necrosis of cultured cortical neurons by neurotrophins, SCIENCE 268(5210):573-575 (1995)
28	/JN/	Koroshetz, W.J. and Moskowitz, M.A., Emerging treatments for stroke in humans, TRENDS PHARMACOL. SCI. 17(6):227-33 (1996)
29	/JN/	Lopez-Rodriguez, M.L. et al., Novel benzimidazole-4-carboxylic acid derivatives as potent and selective 5-HT ₃ receptor ligands, BIOORG. MED. CHEM. LETT. 6(11): 1195-1198 (1996)
30	/JN/	Lopez-Rodriguez, M.L. et al., Synthesis and structure-activity relationships of a new model of arylpiperazines. 1. 2-[[4-(o-methoxyphenyl)piperazin-1-yl]methyl]-1,3-dioxoperhydroimidazo[1,5-alpha]pyridine: a selective 5-HT _{IA} receptor agonist, J. MED. CHEM. 39(22):4439-4450 (1996)
31	/JN/	Lopez-Rodriguez, M.L. et al., 2-[4-(o-Methoxyphenyl)piperazin-1-ylmethyl]-1,3-dioxoperhydroimidazo[1,5-a]pyridine as a new selective 5-HT _{IA} receptor ligand, BIOORG. MED. CHEM. LETT. 6(6):689-694 (1996)
32	/JN/	Matsuyama, S. et al., Regulation of glutamate release via NMDA and 5-HT _{IA} receptors in guinea pig dentate gyrus, BRAN RES. 728(2):175-180 (1996)
33	/JN/	Lopez-Rodriguez, M.L. et al., Comparative receptor mapping of serotoninergic 5-HT ₃ and 5-HT ₄ binding sites, J. COMPUTAIDED MOL. DES. 11(6):589-599 (1997)
34	/JN/	Lopez-Rodriguez, M.L. et al., Synthesis and structure-activity relationships of a new model of arylpiperazines. 2. Three-dimensional quantitative structure-activity relationships of hydantoin-phenylpiperazine derivatives with affinity for 5-HT1A and alpha 1 receptors. A comparison of CoMFA models, J. MED. CHEM. 40(11):1648-1656 (1997)
35	/JN/	Lopez-Rodriguez, M.L. et al., Synthesis and structure-activity relationships of a new model of arylpiperazines. 3.1 2-[omega-(4-arylpiperazin-1-yl)alkyl]perhydropyrrolo-[1,2-c]imidazoles and -perhydroimidazo[1,5-a]pyridines: study of the influence of the terminal amide fragment on 5-HT1A affinity/selectivity, J. MED. CHEM. 40(16):2653-2656 (1997)
36	/JN/	Aguirre, N. et al., MDMA ('Ecstacy') enhances 5-HT _{la} receptor density and 8-OH-DPAT-induced hypothermia: Blockade by drugs preventing 5-hydroxytryptamine depletion, EUR. J. PHARMACOL. 346(2-3):181-188 (1998)

Examiner:	/Jason Nolan/	Date Considered:	11/05/2007	

PATENT AND TRADEMARK OFFICE INFORMATION DISCLOSURE CITATION

(Use several sheets if necessary)

Sheet 4 of 7

ATTORNEY DOCKET No.	SERIAL NO.
6102-000042/US/NP	10/522,697
APPLICANT	
Zambrana, J., et al.	
FILING DATE	GROUP
27 January 2005	1626

OTHE	R DOCUM	ENTS (including Author, Title, Date, Pertinent Pages, etc.)
Ref. Desig.	Examiner's Initials	·
37	/JN/	Beneytez, M.E. et al., Preclinical pharmacology of B-20991, a 5-HT _{IA} receptor agonist with anxiolytic activity, Eur. J. Pharmacol. 344:127-135(1998)
38.	/JN/	Lopez-Rodriguez, M.L. et al., 1-[ω-(4-Arylpiperazin-1-yl)alkyl]-3-diphenylmethylene-2,5-pyrrolidinediones as 5-HT _{IA} receptor ligands: Study of the steric requirements of the terminal amide fragment on 5-HT _{IA} affinity/selectivity, BIOORG. MED. CHEM. LETT. 8:581-586(1998)
39	/JN/	Nonaka, S. et al., Chronic lithium treatment robustly protects neurons in the central nervous system against excitoxicity by inhibiting N-methyl-D-aspartate receptor-mediated calcium influx, PROC. NAT'L. ACAD. SCI. USA 95(5):2642-2647 (1998)
40	/JN/	Suchanek, B. et al., The 5-HT _{IA} receptor agonist BAY x 3702 prevents staurosporine-induced apoptosis, Eur. J. Pharmacol. 355(1):95-101 (1998)
41	/JN/	Ahlemeyer B. et al., The 5-HT _{IA} receptor agonist Bay x 3702 inhibits apoptosis induced by serum deprivation in cultured neurons, EUR. J. PHARMACOL. 370(2):211-216 (1999)
42	/JN/	Justicia, C. and Planas, A.M., Transforming growth factor-\alpha acting at the epidermal growth factor receptor reduces infarct volume after permanent middle cerebral artery occlusion in rats, J. CEREB. BLOOD FLOW METAB. 19(2):128-132 (1999)
43	/JN/	Lopez-Rodriguez, M.L. et al., Benzimidazole derivatives. 1. Synthesis and structure-activity relationships of new benzimidazole-4-carboxamides and carboxylates as potent and selective 5-HT, receptor antagonists, BIOORG. MED. CHEM. 7:2271-2281 (1999)
44	/JN/	Lopez-Rodriguez, M.L. et al., Benzimidazole derivatives. 2. Synthesis and structure-activity relationships of new azabicyclic benzimidazole-4-carboxylic acid derivatives with affinity for serotoninergic 5-HT ₃ receptors, J. MED. CHEM. 42:5020-5028 (1999)
45	/JN/	Lopez-Rodriguez, M.L. et al., Design and synthesis of 2-[4-[4-(m-(ethylsulfonamido)phenyl)piperazin-1-yl]butyl]-1,3-dioxoperhydropyrrolo[1,2-c]imidazole (EF-7412) using neural networks. A selective derivative with mixed 5-HT _{1A} /D ₂ antagonist properties, BIOORG. MED. CHEM. LETT. 9:1679-1682 (1999)
46	/JN/	Lopez-Rodriguez, M.L. et al., Synthesis and structure-activity relationships of a new model of arylpiperazines. 4. 1-[omega-(4-Arylpiperazin-1-yl)alkyl]-3-(diphenylmethylene) - 2,5-pyrrolidinediones and -3-(9H-fluoren-9-ylidene)-2,5-pyrrolidinediones: study of the steric requirements of the terminal amide fragment on 5-HT _{IA} affinity/selectivity, J. MED. CHEM. 42(1):36-49 (1999)

Examiner:	/Jason Nolan/	Date Considered:	11/05/2007	

PATENT AND TRADEMARK OFFICE INFORMATION DISCLOSURE CITATION

(Use several sheets if necessary)

Sheet 5 of 7

ATTORNEY DOCKET No.	SERIAL NO.	
6102-000042/US/NP	10/522,697	
APPLICANT		
Zambrana, J., et al.		
FILING DATE	GROUP	
27 January 2005	1626	

Ref. Desig.	Examiner's Initials	
47	/JN/	Lopez-Rodriguez, M.L. et al., Synthesis of new (benzimidazolyl)piperazines with affinity for the 5-HT _{IA} receptor via Pd(0) amination of bromobenzimidazoles, BIOORG. MED. CHEM. LETT. 9:2339-2342, 1999
48	/JN/	Galter, D. et al., Sequential activation of the 5-HT _{IA} serotonin receptor and TrkB induces the serotonergic neuronal phenotype, MOL. CELL. NEUROSCI. 15(5):446-455 (2000)
49	/JN/	Lopez-Rodriguez, M.L. et al., First pharmacophoric hypothesis for 5-HT ₇ antagonism, BIOORG. MED. CHEM. LETT. 10:1097-1100 (2000)
50	/JN/	Lopez-Rodriguez, M.L. et al., Pd(0) Amination of benzimidazoles as an efficient method towards new (benzimidazolyl)piperazines with high affinity for the 5-HT _{IA} receptor, TETRAHEDRON 56:3245-3253 (2000)
51	/JN/	Schaper, C. et al., Stimulation of 5-HT _{IA} receptors reduces apoptosis after transient forebrain ischemia in the rat, BRAIN RES. 883(1): 41-50 (2000)
52	/JN/	Torup, L. et al., Neuroprotective effect of 8-OH-DPAT in global cerebral ischemia assessed by stereological cell counting, Eur. J. Pharmacol. 395(2):137-141 (2000)
53	/JN/	Kline, A.E. et al., The selective 5-HT _{IA} receptor agonist repinotan HCl attenuates histopathology and spatial learning deficits following traumatic brain injury in rats, NEUROSCIENCE 106(3) 547-555 (2001)
54	/JN/	Lopez-Rodriguez, M.L. et al., Computational model of the complex between GR113808 and the 5- HT ₄ receptor guided by site-directed mutagenesis and the crystal structure of rhodopsin, J. COMPUTAIDED. MOL. DES. 15: 1025-1033 (2001)
55	/JN/	Lopez-Rodriguez, M.L. et al., Study of the bioactive conformation of novel 5-HT ₄ receptor ligands: influence of an intramolecular hydrogen bond, TETRAHEDRON 57:6745-6749 (2001)
56	/JN/	Lopez-Rodriguez, M.L. et al., Synthesis and structure-activity relationships of a new model of arylpiperazines. 5. Study of the physicochemical influence of the pharmacophore on 5-HT(1a)/alpha(1)-adrenergic receptor affinity: synthesis of a new derivative with mixed 5-HT(1a)/d(2) antagonist properties, J. MED. CHEM. 44(2):186-197 (2001)
57	/JN/	Lopez-Rodriguez, M.L. et al., Synthesis and structure-activity relationships of a new model of arylpiperazines. 6. Study of the 5-HT(la)/alpha(l)-adrenergic receptor affinity by classical hansch analysis, artificial neural networks, and computational simulation of ligand recognition, J. MED. CHEM. 44(2):198-207 (2001)

Examiner:	/Jason Nolan/	Date Considered:	11/05/2007	

PATENT AND TRADEMARK OFFICE INFORMATION DISCLOSURE CITATION

(Use several sheets if necessary)

Sheet 6 of 7

ATTORNEY DOCKET No.	SERIAL NO.	
6102-000042/US/NP	10/522,697	
APPLICANT		
Zambrana, J., et al.		
FILING DATE	GROUP	
27 January 2005	1626	

Ref. Desig.	Examiner's Initials	
58	/JN/	Lopez-Rodriguez, M.L. et al., 3D-QSAR/CoMFA and recognition models of benzimidazole derivatives at the 5-HT ₄ receptor BIOORG. MED. CHEM. LETT. 11:2807-2811 (2001)
59	/JN/	Mauler, F., et al., Inhibition of evoked glutamate release by the neuroprotective 5-HT _{IA} receptor agonist BAY x 3702 in vitro and in vivo, BRAIN RES. 888(1):150-157 (2001)
60	/JN/	Caicoya, A.G. et al., Biochemical, electrophysiological and neurohormonal studies with B-20991, a selective 5-HT _{IA} receptor agonist, PHARMACOLOGY 62: 234-242 (2001)
61	/JN/	Lopez-Rodriguez, M.L. et al., Arylpiperazine derivatives acting at 5-HT _{IA} receptors, CURR. MED. CHEM. 9:443-469 (2002)
62	/JN/	Lopez-Rodriguez, M.L. et al., Benzimidazole derivatives. 3. 3D-QSAR/CoMFA model and computational simulation for the recognition 5-HT ₄ receptor antagonists, J. MED. CHEM. 45: 4806-4815 (2002)
63	/JN/	Lopez-Rodriguez, M.L. et al., Design, synthesis and pharmacological evaluation of 5-hydroxytryptamine _{la} receptor ligands to explore the three-dimensional structure of the receptor, MOL. PHAMACOL. 62:15-21 (2002)
64	/JN/	Lopez-Rodriguez, M.L. et al., 5-HT ₄ receptor antagonists: structure-affinity relationships and ligand-receptor interactions, CURR. TOPICS MED. CHEM. 2:625-641 (2002)
65	/JN/	Lopez-Rodriguez, M.L. et al., Benzimidazole derivatives. 4. The recognition of the voluminous substituent attached to the basic amino group of 5-HT ₄ receptor antagonists, J. COMPUTAIDED MOL. DES. 17:515-524 (2003)
66	/JN/	Lopez-Rodriguez, M.L. et al., Design and synthesis of new benzimidazole-arylpiperazine derivatives acting as mixed 5-HT ₁₄ /5-HT ₃ ligands, BIOORG. MED. CHEM. LETT. 13:3177-3180 (2003)
67	/JN/	Lopez-Rodriguez, M.L. et al., Design and synthesis of S-(-)-2-[[4-(napht-1-yl)piperazin-1-yl]methyl]-1,4-dioxoperhydropyrrolo[1,2-a]pyrazine (CSP-2503) using computational simulation. A 5-HT _{IA} receptor agonist, BIOORG. MED. CHEM. LETT. 13(8):1429-1432 (2003)
68	/JN/	Lopez-Rodriguez, M.L. et al., Optimization of the pharmacophore model for 5-HT ₇ receptor antagonism. Design and synthesis of new naphtholactam and naphthosultam derivatives, J. MED. CHEM. 46:5638-5650 (2003)
69	/JN/	Pascual D. et al., New benzimidazole derivatives: selective and orally active 5-HT ₃ receptor antagonists, Eur. J. PHARMACOL. 462:99-107 (2003)

Examiner:	/Jason Nolan/	Date Considered:	11/05/2007

PATENT AND TRADEMARK OFFICE INFORMATION DISCLOSURE CITATION

(Use several sheets if necessary)

Sheet 7 of 7

ATTORNEY DOCKET No.	SERIAL NO.	
6102-000042/US/NP	10/522,697	
APPLICANT		
Zambrana, J., et al.		
FILING DATE	GROUP	
27 January 2005	1626	

OTHE	R DOCUM	ENTS (including Author, Title, Date, Pertinent Pages, etc.)
Ref. Desig.	Examiner's Initials	
70	/JN/	Lopez-Rodriguez, M.L. et al., Benzimidazole derivatives. 5. Design and synthesis of new benzimidazole-arylpiperazine derivatives acting as mixed 5-HT _{1A} /5-HT ₃ ligands, BIOORG. MED. CHEM. 12:5181-5191 (2004)
71	/JN/	Lopez-Rodriguez, M.L. et al., Serotonin 5-HT ₇ receptor antagonists, CURR. MED. CHEMCNSA 4:203-214 (2004)
72	/JN/	Lopez-Rodriguez, M.L. et al., Synthesis and structure-activity relationships of a new model of arylpiperazines. Part 7: Study of the influence of lipophilic factors at the terminal amide fragment on 5-HT _{IA} affinity/selectivity, BIOORG. MED. CHEM. 12(6):1551-1557 (2004)
73	/JN/	Delgado, M. et al., Anxiolytic-like effect of a serotonergic ligand with high affinity for 5-HT _{1A} , 5-HT _{2A} and 5-HT ₃ receptors, EUR. J. PHARMACOL. 511:9-19 (2005)
74	/JN/	Lopez-Rodriguez, M.L. et al., A three-dimensional pharmacophore model for 5-hydroxytryptamine ₆ (5-HT ₆) receptor antagonists, J. MED. CHEM. 48:4216-4219 (2005)
75	/JN/	Lopez-Rodriguez, M.L. et al., Synthesis and structure-activity relationships of a new model of arylpiperazines. 8. Computational simulation of ligand-receptor interaction of 5-HT _{IA} R agonists with selectivity over alpha1-adrenoceptors, J. MED. CHEM. 48(7):2548-2558 (2005)

Examiner:	/Jason Nolan/	Date Considered:	11/05/2007	
-----------	---------------	------------------	------------	--